



the Yellow

Simple, intuitive operation

Designer housing and signature light (visual signal, ambient light)

RFID quick login and remote access via dinoConnect web and app

Capacitive touchscreen. Operation like a smartphone. Integrated dosing pumps for pH and chlorine or active oxygen



Superior in operation, comfort, and functionality



01



SOFTWARE OPERATION

Superior ease of use. You can quickly and intuitively navigate to the desired setting in several ways.

02



HELP FUNCTION

Each function is explained in a tooltip; simply hold your finger on the menu item.


03



TECHNICAL SCREEN

Overview of the complete system status at a glance. A single tap takes you directly to the settings.


04



FILTER CONTROL

The integrated filter control is easy to program. You can configure an unlimited number of time settings. For optimal control, you can even set the filter level for each filter time.

05



MAINTENANCE INSTRUCTIONS AND ORDER SERVICE

Your Yellow device informs you when regular maintenance tasks should be performed and notifies you when your canister is empty. You can send an order request to your dealer directly from the system.

the Yellow



More options.



Measuring electrodes in measuring cell or pipe installation

(Multi-stage) filter pump 230V/16A



Spotlights



Temperature / release heating Heat pump or similar




system

Fewer compromises.

Canister empty signal








At a glance – exclusive features that no other device in this class offers

FUNCTION:	Yellow	COMPARABLE DEVICES
Measurement, control pH. Rx	✓	✓
Measurement, control pH. active oxygen	✓	✓/x
Measurement, control free chlorine	Option	×
Dosing pH, Rx – peristaltic dosing pump	√ (max. dosing capacity 6 I/h)	✓
Dosing pH, Rx – diaphragm dosing pump	Option	×
Graphical touch display, capacitive	5" - capacitive	4.3" - resistive / LCD
Gesture control	✓	×
Setup assistant	✓	✓/x
Smart home integration (EIB/KNX, MQTT)	✓	✓
Message list	✓	✓
Remote access – WiFi module	✓ - Web and App	✓ - Web and App
Flow monitoring / paddle switch	✓	✓
Temperature display	With accessories	Option
Fill level empty signal	✓	Option
Calibration record	✓	Date of last calibration
Filter control	✓	Option (in part)
Control of multi-stage filter pump	✓	×
Heating control	With accessories	Option
Lighting control	With accessories	Option
Lighting control DMX	Option	Option (in part)
Trend	✓	×
Remote update	✓	✓
Frost protection	✓	Option
Holiday mode	✓	×
Party switch	✓	×
Help function	✓	×
Text search function	✓	×
Al operation and service support	✓	×
Integrated order request system	✓	×
Maintenance indicator	✓	×
Weather display	✓	×
Customizable	✓	×
Signature light: ambient and signal light strips	✓	×
RFID quick login	✓	×
Selectable screensavers	✓	×
Lock screen (child lock), unauthorized use	✓	×
Snapshot (1-click system backup)	4	×

dinoConnect

With dinoConnect, you always have your Yellow with you – no matter where you are. Whether via the dinoConnect app or website: you can keep track and comfortably adjust all settings from your favorite spot at home.

And best of all, your specialist dealer or dinotec can provide remote support if necessary – for trouble-free operation and lower costs.



Your dinotec specialist partner:





dinotec GmbH

Water & Pool Technology Philipp-Reis-Str. 28 61130 Nidderau/Germany Phone: +49 (6187) 41379-0 E-mail: mail@dinotec.de

www.dinotec.de

www.niedrig-energie-pool.de

www.Poolpflege.info



dino/FA-0.15-2510-en